

|            |                                       |
|------------|---------------------------------------|
| Version    | Island - 120 cm - Graphite - 600 m3/h |
| Design     | Falmec Lab                            |
| Collection | Circle.Tech                           |

TECHNICAL FEATURES

|                               |                                                                                           |
|-------------------------------|-------------------------------------------------------------------------------------------|
| Materials/Finishes            | Graphite tempered glass finishing                                                         |
| Technology                    | Circle.Tech technology                                                                    |
| Features                      | Perimeter suction<br>Diffuse illumination<br>Up/Down lift system with height adjustment   |
| Control                       | Remote control included<br>Dialogue system                                                |
| Function                      | Filtering                                                                                 |
| Lighting                      | Dynamic Light (2700K - 5600K)<br>LED 50 W (2700K - 5600K)                                 |
| Filters                       | Metallic grease filter, removable and washable<br>Carbon.Zeo Microtech regenerable filter |
| Dimensions                    | 120 cm                                                                                    |
| Minimum Electric hob distance | 52 cm                                                                                     |
| Maximum Electric hob distance | 65 cm                                                                                     |
| Minimum Gas hob distance      | 65 cm                                                                                     |
| Notes                         |                                                                                           |

CONNECTION AND CONSUMPTION FUNCTIONS

|                     |                  |
|---------------------|------------------|
| Maximum consumption | 220 W            |
| Voltage/Frequency   | 220-240V 50-60Hz |

MOTOR


|                     |                                  |
|---------------------|----------------------------------|
| Motor               | 600 m³/h                         |
| Maximum capacity    |                                  |
| Maximum sound level | 60 dB (A)re1pW I.E.C. 60704-2-13 |
| Energy class        |                                  |

WEIGHTS AND VOLUMES

|                      |                           |
|----------------------|---------------------------|
| Gross weight         | 81.6 kg                   |
| Net weight           | 70.5 kg                   |
| Volume               | 0.35 m3                   |
| Packaging dimensions | L 1330 x H 367 x P 725 mm |



Photograph is for information purposes only. May not correspond to the Photograph is selected version



Optional accessories

| Code      | Description                                                                 |
|-----------|-----------------------------------------------------------------------------|
| KACL.1048 | Regenerable Carbon.Zeo Microtech filters for Circle.Tech hoods (spare part) |

ENGINE SPECIFICATIONS

|                                     |    |    |     |     |
|-------------------------------------|----|----|-----|-----|
| Motor speed                         | 1  | 2  | 3   | 4   |
| Noise dB(A) re1pW l.E.C. 60704-2-13 | 48 | 54 | 60  | 67  |
| Capacity                            |    |    |     |     |
| Maximum pressure (Pa)               |    |    |     |     |
| Motor power (W)                     | 80 | 90 | 103 | 130 |
| Air outlet                          |    |    |     |     |

FLOW RATE / PRESSURE