

ASSEMBLY GUIDE | GUIDE D'ASSEMBLAGE GUÍA DE MONTAJE | MONTAGEANLEITUNG | GUIDA DI MONTAGGIO



ULTIMATE GRIDDLE
SERIES

MODEL / MODÈLE / MODELO / MODELL / MODELLO : PB5BGD2
PART / PIÈCE / PARTE / TEIL / PARTE : 10816, 10817, 10818



PIT BOSS®

5-BURNER GRIDDLE WITH CABINET

IMPORTANT, READ CAREFULLY, RETAIN
FOR FUTURE REFERENCE. MANUAL MUST
BE READ BEFORE OPERATING!

PLAQUE CHAUFFANTE À 5 BRÛLEURS AVEC ARMOIRE

IMPORTANT, PRENEZ CONNAISSANCE DE
CE DOCUMENT ET CONSERVEZ-LE POUR
RÉFÉRENCE ULTÉRIEURE. VOUS DEVEZ LIRE
CE GUIDE AVANT D'UTILISER LE BARBECUE!

PLANCHA DE 5 QUEMADORES CON ARMARIO

IMPORTANTE, LEER DETENIDAMENTE,
CONSERVAR PARA REFERENCIA FUTURA.
LEA EL MANUAL ANTES DEL USO!

5-FLAMMIGER PFANNENGRILL MIT SCHRANK

WICHTIG: AUFMERKSAM LESEN UND GUT
AUFBEWAHREN BITTE UNBEDINGT VOR
GEBRAUCH DIE BETRIEBUNGSANLEITUNG
SORGFÄLTIG DURCHLESEN!

PIASTRA 5 FUOCHI CON ARMADIO

IMPORTANTE: LEGGERE ATTENTAMENTE E
CONSERVARE PER RIFERIMENTO FUTURO.
LEGGERE IL MANUALE PRIMA DELL'USO.

For outdoor and household use only. Not for commercial use.
Réservé à l'usage extérieur et résidentiel uniquement. Non destiné à un usage commercial.
Solo para uso doméstico y en el exterior. No apto para uso comercial.
Bitte nur im Freien und privat nutzen. Nicht für die gewerbliche Anwendung geeignet.
Solo per uso domestico ed esterno. Non per uso commerciale.


WARNING: PLEASE READ THE ENTIRE MANUAL BEFORE INSTALLATION AND USE OF THIS GAS APPLIANCE. FAILURE TO FOLLOW THESE INSTRUCTIONS COULD RESULT IN PROPERTY DAMAGE, BODILY INJURY OR EVEN DEATH. CONTACT LOCAL BUILDING OR FIRE OFFICIALS ABOUT RESTRICTIONS AND INSTALLATION INSPECTION REQUIREMENTS IN YOUR AREA.

AVERTISSEMENT : VEUILLEZ LIRE L'INTÉGRALITÉ DU MANUEL AVANT INSTALLATION ET UTILISATION DE CET APPAREIL À GAZ. LE NON-RESPECT DE CES INSTRUCTIONS PEUT ENTRAÎNER DES DOMMAGES MATÉRIELS, DES DOMMAGES CORPORELS OU MÊME LA MORT. CONTACTEZ LES AUTORITÉS LOCALES COMPÉTENTES CONCERNANT LES RESTRICTIONS ET LES EXIGENCES D'INSPECTION EN VIGUEUR DANS VOTRE RÉGION.

ADVERTENCIA: LEA TODO EL MANUAL ANTES DE MONTAR Y USAR ESTA BARBACOA DE GAS. SI NO SE SIGUEN ESTAS INSTRUCCIONES, PUEDEN PRODUCIRSE DAÑOS MATERIALES, LESIONES CORPORALES O INCLUSO LA MUERTE. PONGASE EN CONTACTO CON LOS ADMINISTRADORES DEL EDIFICIO O CON LOS BOMBEROS PARA CONSULTAR LAS RESTRICCIONES Y LOS REQUISITOS DE INSPECCIÓN DE LAS INSTALACIONES DE SU ZONA.

ACHTUNG: BITTE LESEN SIE DIE GESAMTE ANLEITUNG SORGFÄLTIG DURCH, BEVOR SIE DIESES GASGERÄT AUFSTELLEN UND BENUTZEN. DIE NICHTBEACHTUNG DIESER ANWEISUNGEN KANN ZU SACHSCHÄDEN, VERLETZUNGEN ODER Sogar ZUM TOD FÜHREN. FÜR EINSCHRÄNKUNGEN SOWIE MONTAGE- UND KONTROLLAUFLAGEN IN IHRER REGION WENDEN SIE SICH AN DIE GEBÄUDE- ODER BRANDBEAUFTRAGTEN VOR ORT.

AVVERTENZA: LEGGERE L'INTERO MANUALE PRIMA DELL'INSTALLAZIONE E DELL'USO DI QUESTA APPARECCHIATURA A GAS. LA MANCATA OSSERVANZA DELLE ISTRUZIONI PUÒ CAUSARE DANNI ALLA PROPRIETÀ, LESIONI FISICHE O MORTE. CONTATTARE LE AUTORITÀ LOCALI COMPETENTI PER L'EDILIZIA O I VIGILI DEL FUOCO PER INFORMAZIONI SULLE RESTRIZIONI E SUI REQUISITI DI ISPEZIONE DEGLI IMPIANTI NELLA PROPRIA ZONA.





COPYRIGHT NOTICE

Copyright 2021. All right reserved. No part of this manual may be copied, transmitted, transcribed, stored in a retrieval system, in any form or by any means without expressed written permission of,

DANSONS EUROPE

11 Rue Galvani Paris, France 75017

DANSONS NORTH AMERICA

3411 North 5th Avenue, Suite 500, Phoenix, AZ, USA 85013

CUSTOMER CARE

www.pitboss-grills.com

TABLE OF CONTENTS


Parts & Specs.....	3
Assembly Preparation.....	4
Assembly Instructions	
Installing The Locking Casters.....	4
Mounting The Cart Panels.....	5
Securing The Drawer Rails.....	6
Mounting The Drawer Support Bar	6
Installing The Heat Shield	6
Mounting The Swing Drawer	7
Installing The Drawer	7
Installing The Cabinet Door To The Cart	7
Mounting The Bottle Opener	8
Securing The Side Shelf Brackets.....	8
Installing The Side Shelves.....	8
Mounting The Lid Handle.....	9
Securing The Lid Support	9
Installing The Firebox To The Cart	9
Inserting The Hot Plate Screws.....	10
Placing The Cooking Components.....	10
Installing The Ignition Battery	10

PARTS & SPECS

EN

ENGLISH

Part#	Description
1	Firebox (x1)
2	Hot Plate (x1)
3	Hot Plate Leg Screws (x4)
4	Grease Cup (x1)
5	Lid Support (x1)
6	Lid Handle Bezel (x2)
7	Lid Handle (x1)
8	Side Shelf - Left (x1)
9	Side Shelf - Right (x1)
10	Side Shelf Bracket - Left (x2)
11	Side Shelf Bracket - Right (x2)
12	Bottle Opener (x1)
13	Cart Side Panel - Left (x1)
14	Cart Partition (x1)
15	Cart Side Panel - Right (x1)
16	Cart Back Panel (x1)
17	Cabinet Door (x1)
18	Drawer Rails (x1)
19	Drawer Support Bar (x1)
20	Heat Shield (x1)
21	Cart Front Panel (x1)
22	Cart Bottom (x1)
23	Swing Drawer (x1)
24	Drawer Front (x1)
25	Drawer (x1)
26	Locking Caster (x4)
A	Screw (x54)
B	Screw (x2)
C	Locking Washer (x14)
D	Washer (x14)
E	Screw (x14)
F	Screw (x6)
G	Battery (x1)



NOTE: Due to ongoing product development, parts are subject to change without notice. Contact Customer Care if parts are missing when assembling the unit.

MODEL	ASSEMBLED (WxDxH)	WEIGHT	COOKING AREA	HEAT INPUT
PB PB5BGD2	1,600 X 674 X 1022 MM / 62.9 X 26.5 X 40.2 IN	72.0 KG / 158.7 LB	4,174 CM ² / 647.0 IN ²	14.65 KW


ASSEMBLY PREPARATION

Parts are located throughout the shipping carton, including underneath the griddle. Inspect the unit, parts, and hardware blister pack after removing from the protective shipping carton. Discard all packaging materials from inside and outside of the griddle before assembly, then review and inspect all parts by referencing the parts list. If any part is missing or damaged, do not attempt to assemble. Shipping damage is not covered under warranty. Contact your dealer or Pit Boss® Grills Customer Care.

www.pitboss-grills.com

IMPORTANT: To ease installation, use two people when assembling this unit.

Tools required for assembly: screwdriver and wrench. *Tools not included.*



ASSEMBLY INSTRUCTIONS

IMPORTANT: It is advised to read each step entirely before starting assembly on instructions. Do not tighten screws completely until all screws for that step have been installed. Hardware combination involving a locking washer and washer should be installed with the locking washer closest to the head of the screw.


1. INSTALLING THE LOCKING CASTERS

Parts Required:

- 1 x Cart Bottom (#22)
- 4 x Locking Caster (#26)

Installation:

- Place a piece of cardboard on the floor to prevent scratching the unit and parts during assembly.
- Turn over the Cart Bottom so it lies flat-side down on the cardboard. Insert a Locking Caster to the bottom-corner of the Cart Bottom and hand-tighten by rotating into the hole. The Locking Caster is inserted completely when it cannot rotate any further into the Cart Bottom. Repeat installation for the other three Locking Casters.



2. MOUNTING THE CART PANELS

Parts Required:

- 1 x Cart Side Panel - Left (#13)
- 1 x Cart Partition (#14)
- 1 x Cart Side Panel - Right (#15)
- 1 x Cart Back Panel (#16)
- 1 x Cart Front Panel (#21)
- 26 x Screw (#A)

Installation:

- Install the Cart Side Panel Left to the Cart Bottom using five screws. Repeat the same installation for the Cart Side Panel Right using another five screws. Note illustration 2A.


NOTE: To ensure the Cart Side Panels are arranged correctly, verify that the Cart Side Panel Left has two holes facing the front for the bottle opener installation in future steps.

- Place the Cart Back Panel between the Cart Side Panels, flat side facing outward. Secure using three screws into each Cart Side Panel. Note illustration 2B.

NOTE: Once installed, the exterior of the cart should be flush with the Cart Bottom.

- Position the Cart Partition on the Cart Bottom as shown. Note the position of the mounting holes and that the edge facing the front has no holes. Secure the Cart Partition by using three screws into the Cart Bottom and two screws into the Cart Back Panel. Note illustration 2C.

- Align the holes of the Cart Front Panel and the Cart Partition, then secure using on screws. Next, secure the Cart Front Panel into the Cart Side Panels using two screws on each side. Note illustration 2D.




3. SECURING THE DRAWER RAILS

Parts Required:

- 1 x Drawer Rails (#18)
- 5 x Screw (#A)

Installation:

- Align the holes of the Drawer Rails to the holes on the left side of the Cart Bottom, then secure using five screws, as shown.




4. MOUNTING THE DRAWER SUPPORT BAR

Parts Required:

- 1 x Drawer Support Bar (#19)
- 2 x Screw (#A)

Installation:

- Insert the tab of the Drawer Support into the Cart Partition, then secure the Drawer Support using two screws, one on each side.



5. INSTALLING THE HEAT SHIELD


Parts Required:

- 1 x Heat Shield (#20)
- 6 x Screw (#E)

Installation:

- Place the Heat Shield into the body of the Cart with the brackets on the left side, as shown in illustration. Align the mounting holes and secure using six screws.

IMPORTANT: The upward edge of the Heat Shield should be facing the front of the unit.



6. MOUNTING THE SWING DRAWER


Parts Required:

- 1 x Swing Drawer (#23)
- 2 x Screw (#F)

Installation:

- Place the Swing Drawer into the top section of the left-side of the Cart, with the handle facing the front. Rest the Swing Drawer on the Drawer Support Bar, then anchor each corner using one screw.

NOTE: Once installed, Swing Drawer should be able to tip open and close with ease.



7. INSTALLING THE DRAWER



Parts Required:

- 1 x Drawer Front (#24)
- 1 x Drawer (#25)
- 8 x Screw (#E)

Installation:

- Assemble the Drawer by mounting the Drawer Front to the Drawer using eight screws. Note illustration 7A.
- Align the rails of the Drawer to insert into the bottom section of the left-side of the Cart. Slide the rails into rail mounts, then push the Drawer into the Cart body. Note illustration 7B.

NOTE: Once installed, the assembled Drawer and Swing Drawer should be flush with the Cart body and Cart Bottom.



8. INSTALLING THE CABINET DOOR TO THE CART


Parts Required:

- 1 x Cabinet Door (#17)

Installation:

- Align the Cabinet Door with the right section of the Cart. Insert the bottom pin into the pivot hole on the right side of the Cart Bottom, then push down on the locking-loaded top pin, and lock into the hole on the Cart Front Panel.

IMPORTANT: The Cabinet Door should swing freely once installed, and line up with the door magnet. If unlevel, ensure the top and bottom pins of the Cabinet Door are inserted correctly.




9. MOUNTING THE BOTTLE OPENER

Parts Required:

- 1 x Bottle Opener (#12)
- 2 x Screw (#A)

Installation:

- Mount the Bottle Opener to the Front-Left corner of the Cart using two screws. Note illustration for correct orientation, with opening angled downwards.




10. SECURING THE SIDE SHELF BRACKETS

Parts Required:

- 2 x Side Shelf Bracket - Left (#10)
- 2 x Side Shelf Bracket - Right (#11)
- 12 x Screw (#A)
- 12 x Locking Washer (#C)
- 12 x Washer (#D)

Installation:

- Mount one Side Shelf Bracket to a Cart Side Panel using three washers, locking washers and screws. Install each screw halfway first, then tighten completely when all three screws are mounted and aligned properly. Repeat installation for the other three Side Shelf Brackets.



11. INSTALLING THE SIDE SHELVES

Parts Required:


- 1 x Side Shelf - Left (#8)
- 1 x Side Shelf - Right (#9)
- 4 x Screw (#F)

Installation:

- Align and position one Side Shelf on the Side Shelf Brackets on one side of the unit. From underneath, secure a screw into each corner, as shown in illustration. Repeat same installation for the Side Shelf on the other side of the unit.

NOTE: Once installed, both Side Shelves can be raised (for use) or lowered (for storage) with ease.

IMPORTANT: Avoid using the Side Shelves to move or lift the unit. The weight of the unit will cause the shelves to break, which is not covered by warranty.




12. MOUNTING THE LID HANDLE

Parts Required:

- 1 x Firebox (#1)
- 2 x Lid Handle Bezel (#6)
- 1 x Lid Handle (#7)
- 2 x Screw (#B)
- 2 x Locking Washer (#C)
- 2 x Washer (#D)

Installation:

- Place a locking washer then a washer onto a screw. From inside the lid of the Firebox, insert one screw to protrude to the outside. Add a Lid Handle Bezel on the screw, then hand-tighten the screw (from the inside) into the Lid Handle.
- Repeat same installation for the other end of the Lid Handle.




13. SECURING THE LID SUPPORT

Parts Required:

- 1 x Lid Support (#5)
- 3 x Screw (#A)

Installation:

- On the backside of the Firebox, fasten the Lid Support to the center of the panel using three screws.



14. INSTALLING THE FIREBOX TO THE CART

NOTE: A regulator is shown; however, not all distributors sell the units with a regulator included. A Manifold Transition Kit is provided should a gas regulator not come pre-assembled on the griddle. Select the connector from the Manifold Transition Kit that is required for your gas manifold and regulator tubing.

Parts Required:



- 4 x Screw (#A)

Installation:

- Place the Firebox next to the Cart, both facing the same direction. Using two people, lift the Firebox and slowly place onto the Cart. Note illustration 14A.

IMPORTANT: The two tabs on each Cart Side Panel should be on the outside of the Firebox.

- Once in position, secure the Firebox onto the Cart by using two screws on each side. Note illustration 14B.




15. INSERTING THE HOT PLATE SCREWS

Parts Required:

- 1 x Hot Plate (#2)
- 4 x Hot Plate Screws (#3)

Installation:

- Turn the Hot Plate upside-down. Insert a Hot Plate Screw into a corner hole of the Hot Plate, turning by hand, until it cannot rotate any further into the nut. Repeat same installation on the other three corner holes.



16. PLACING THE COOKING COMPONENTS

Parts Required:


- 1 x Grease Cup (#4)

Installation:

- Open the Firebox lid. Carefully, place the Hot Plate into the Firebox. Once the Hot Plate is installed, ensure it sits level in the Firebox. Adjust the height of the Hot Plate Screws, if needed, so the Hot Plate is level.

NOTE: To maintain the searing and grilling performance of your Hot Plate, regular care and maintenance is required.

- Place the Grease Cup into the Grease Cup housing on the left side of the Firebox, as shown in the illustration.




17. INSTALLING THE IGNITION BATTERY

Parts Required:

- 1 x Battery (#G)

Installation:

- Turn the ignition button cap counter-clockwise to remove it. Insert the Battery into the housing with the positive (+) terminal facing outward. Screw the ignition button cap back into place to cover.
- The unit is now completely assembled.



Refer to Owner's Manual for Operating Instructions.

IMPORTANT

DO NOT RETURN PRODUCT TO STORE

For all questions, comments, or inquiries, please contact Dansons directly:
www.pitboss-grills.com

IMPORTANT

NE RETOURNEZ PAS LE PRODUIT AU MAGASIN

Pour toute questions, commentaires ou demandes de renseignements,
veuillez communiquer avec Dansons directement : www.pitboss-grills.com

¡IMPORTANTE!

NO DEVUELVA EL PRODUCTO A LA TIENDA

Para el preguntas, comentarios o consultas, por favor contactar Dansons
directamente : www.pitboss-grills.com

WICHTIG

PRODUKT NICHT INS LAGER ZURÜCKSCHICKEN

Bei Fragen, Kommentaren oder Anfragen wenden Sie sich bitte direkt an
Dansons : www.pitboss-grills.com

IMPORTANTE

NON RESTITUIRE QUESTO PRODOTTO AL NEGOZIO

Per ogni domanda, commento o richiesta, rivolgersi direttamente a Dansons :
www.pitboss-grills.com

PITBOSS-GRILLS.COM

MADE IN CHINA | FABRIQUÉ EN CHINE | HECHO EN CHINA
IN CHINA HERGESTELLT | FABBRICATO IN CINA



780210716UMV

